



Whole Range Trailer & Parts Supplier 全方位拖车配件供应商

Professional Manufacturer For Trailer & Parts 专业拖车及配件制造商

宁波顺美金属制品有限公司
Fenghua Sunway Metal Industry Co.,Ltd.

Add: Wengao Industry Zone, Chunhu, , Ningbo, CHINA 315506
Tel: 0086 574 88636278
0086 574 88953378
Fax: 0086 574 88955393
Web: www.sunwayindustry.com
www.chinesetrailer.com
Email: sales@sunwayindustry.com

2017年9月印，数量：1000本



宁波顺美金属制品有限公司
Fenghua Sunway Metal Industry Co.,Ltd.



Welcome to Sunway Industry

ABOUT SUNWAY

Sunway Industry is a leading car trailer and trailer parts manufacturer in China. Products include boat trailer, utility trailer, box trailer, ATV trailer, farm trailer, snow sled and full range of trailer spare parts, trailer accessories.

Sunway Trailer have skillful engineers and quality control team, equipped with CNC cutting,bending, stamping and welding machines, which enable us to manufacture an extensive range of trailers with good after-sales service and competitive prices. Sunway is growing up stably and building a good trailer brand in China.

OEM and custom-made trailers and trailer parts are also working here. Long experience in this industry and qualified products means that we can always be depend on. Sunway have build good business relationship with customers based on honesty and good quality control.

As a professional trailer and trailer parts manufacturer. We produce qualified galvanized trailers and trailer parts. The trailer length from 1 to 7 meters and capacity from 200kgs to 3500kgs. And we provide full range of the trailer spare parts. Sunway Trailer parts are also important in the Sunway industry. Products include all trailer hardwares, trailer accessories as trailer jack, jockey wheel, trailer coupling, trailer lock, trailer light, trailer wheel etc. As a important trailer manufacture, Full range trailer and trailer parts is very important to our business friends.

We have skillful engineers and quality control team, We passed ISO9000-2008 quality system,We own 12 patents. Developing and improving products are our important strategy.

Please have a look on our product range. If you are interested in our products, please feel free to contact us.

Sunway welcome trailer business friends to visting and creating a good future together.

宁波顺美金属制品有限公司是中国大型的拖车和拖车配件制造商，为地方重点工业企业。是我国家用汽车拖车、游艇拖车、小型家用半挂车行业的主要企业，产品种类齐全，基本涉及所有轻型家用拖车种类，为重要的欧美大型拖车制造商的拖车配件供应商。顺美车业与国外知名拖车品牌均建立了良好的合作关系，并为其进行贴牌生产。产品远销欧洲、美洲、澳大利亚、非洲等。

顺美拖车主要产品为：货运半挂车、家用拖车、农用拖车、游艇拖车、拖车配件等。顺美公司实行严谨的经营管理模式，并严格控制产品品质。公司拥有经验丰富的产品研发工程师，并且每年聘请国外拖车设计工程师进行设计和指导。

顺美公司在发展过程中十分重视企业文化，“诚信务实、共同成长”是公司重要的经营理念。在目前经济环境不稳定的情况下，公司出口量仍然稳步增长。宁波顺美金属制品有限公司集生产和贸易为一体,拥有丰富经验的工程师团队，严格的检验系统。公司通过 ISO9000-2008 质量体系认证，并拥有多项专利技术。顺美在发展过程中，与客户建立了良好的生意和深厚的友谊。诚信务实，进取创新！

我们拥有自己的产品，同时也为客人开发产品，欢迎来样来图，与您共同开发，共同发展！我们与您一起努力创造价值！

优质的产品，具有竞争性的价格，真诚的服务，是我公司对您的承诺，欢迎新老合作伙伴选择我们，走向共赢。



INDEX

LATCH	01-02
TOGGLE FASTENER	03
CATCH & CLIP	04
LASHING RING	05
SAFETY ITEM	06
PLUG & SOCKET	07-09
CABLE	10
LIGHT	11-13
HITCH BALL & COVER	14
COUPLING LOCK	15-16
TRAILER COUPLER	17-18
CLAMP & JACK	19-20
U BOLT & CLIP	21
CARGO NET & TRAILER CAGE	22
CUSTOMIZED PARTS	23-25
TOOL BOX	26
BOAT ROLLER BRACKET	27-28
BOAT ROLLER	29-30
WHEEL CHOCK	31
CAP,BUFFER,RUBBER	32
RAMP	33
FENDER & MUDGUARD	34
TRAILER AXLE	35-36
WHEEL	37-38
HAND WINCH & TYRE CARRIER	39
BATCHET TIE DOWN	40
WELDING PART	41
MARINE PRODUCTS	42
PACKING REFERENCE	43-44
ATV TRAILER	45
SNOW SLED	46
UTILITY TRAILER	47
CAR TRAILER	48
BOAT TRAILER	49-50
OTHER TRAILER	51-52



ISO9001:2008 Certification



Patent Certification



TP1031
Latch
Length:180mm
Steel,zinc plated



TP1131
Small Latch



TP1033
Latch
Length:275mm
Steel,zinc plated



TP2135
Trailer door lock
Steel,zinc plated



TP1036
Latch
Length:220mm
Steel,zinc plated



TP1035
Trailer Door Lock
Length:210mm
Steel,zinc plated



TP3135
Hook for TP2135



TP1136
Hook for TP1036



TP1135
Hook for TP1035



TP1102
Trailer Door Lock
Length:110mm
Width:48mm



TP1101
Trailer Door Lock
Length:140mm
Width:70mm



TP1103
Trailer Door Lock
Length:140mm
Width:45mm



TP1202
Hook for TP1211
Width:85mm
Hook dia.:Φ12mm



TP2035
Latch hook
Length:100mm
Width:40mm
Steel,zinc plated
Hook for TP1101



TP1104
Latch hook
Length:92mm
Width:30mm
Hook for TP1103



TP1211
Trailer Lock
Length:250mm
Width:185mm



TP1220
Trailer latch
With a lock pin
For trailer tip function



TP6003
Latch hook
Steel,zinc plated



TP2138
Length:80mm
Width:40mm



TP2137
Lock for lid



TP2036
Latch
Length:110mm
Width:36mm
Zinc plated



TP2033
Latch
Length:105mm
Steel,zinc plated



TP2034
Latch
Length:110mm
Steel,zinc plated



TP2038
Rubber latch
Length:12cm



TP2139
Hook for TP2138



TP6001
Latch hook
Steel,zinc plated
Hole:8mm



TP6005
Hook
Width 15mm
Hole:5mm



TP2031
Toggle latch
Trailer door catch set
Plate:60×60mm
Length:221mm



TP2032
Heavy duty
Door holder



TP6004
Hook for canvas
fixation
Hole:5mm



TP1034R
Toggle latch
Length:70-81mm
Steel,zinc plated
With red plastic end



TP1038R
Toggle latch
Length:115-125mm
Steel,zinc plated
With red plastic end



TP1037R
Toggle latch
Length:160-180mm
Steel,zinc plated
With red plastic end



TP1034
Toggle latch
Length:70-81mm
Steel,zinc plated



TP1038
Toggle latch
Length:115-125mm
Steel,zinc plated



TP1037G
Toggle latch
Length:160-180mm
Steel,zinc plated



TP1037B
Toggle latch body
Steel,zinc plated
Latch body:118mm,
zinc plated



TP1037
Toggle latch
Length:160-180mm
Steel,zinc plated



TP1037D
Toggle latch
Length:195-220mm
Steel,zinc plated



TP1034S
Toggle latch
Length:68-81mm
Stainless steel



TP1039
Door latch
Length:130-145mm
Thread:M8
Stainless steel



TP1040
Door Latch
Length:130-145mm
Stainless steel
With red rubber



TP1034H
Small hook plate
Width:13mm,
zinc plated



TP1038H
Medium hook plate
Width:20mm,
zinc plated



TP1037H
Big hook plate
Width:23.5mm,
zinc plated



TP2024
Pin lock
Pin dia:16mm
Length:200mm,
zinc plated



TP2025
Pin lock
Pin dia:19mm
Length:250mm,
zinc plated



TP2021A
Pin lock
Pin dia:12mm
Length:136mm,
zinc plated
TP2021B
Length:170mm



TP2022
Pin lock
Pin dia:10mm
Length:136mm,
zinc plated



TP2023
Pin lock
Pin dia:12mm
Length:130mm,
zinc plated



TP3070
Number plate holder
Stainless steel



TP3050
Auxillary coupling
With hook
Steel,zinc plated



TP3060
Auxillary coupling
With hook
Steel,zinc plated



TP3140 M12x75
Anti luce,steel,zinc plated



TP3110 M12x10
TP3112 M8x10
TP3113 M10x10
Anti luce,steel,
zinc plated



TP3120 M12x20
Anti luce,steel,zinc plated



TP3130 M12x35
Anti luce,steel,zinc plated



TP6002 Hinge
Steel,zinc plated



TP3081
Hinge pin
Pin size:10mm
zinc plated



TP3220
Casting hinge
Pin size 12mm



TP3180
Long hinge pin
Pin size:16mm



Trailer plate hinge-set
TP3010 length:220mm,width:57mm
TP3020 length:270mm,width:57mm
TP3030 length:330mm,width:57mm
TP3040 length:380mm,width:57mm
TP3080 length:430mm,width:57mm



TP1156
Lashing Ring
Steel,zinc plated
Wire Diameter:5mm
D Ring Width:34mm
Hole Dia:6mm



TP1052
Lashing Ring
Hole 6mm
Cto c 30mm
Steel,zinc plated



TP1051
Lashing Ring
Hole 6mm
Cto c 30mm
Steel,zinc plated



TP1611
Safety chain



TP1612
Trailer coupling
Accessories



BC01
Safety wire
Length:1100mm
Hook:7×70mm
Wire Dia:2.5mm



TP1053
Lashing Ring
Hole 10mm,
Width:38mm
Steel,zinc plated



TP1054
Lashing Ring
Hole:8×8mm,
Cto c 45mm,
zinc plated



TP1043
Lashing Ring
Hole:8×8mm,
Cto c 45mm,
Steel,zinc plated



TP1610
Safety wire




TP5011
Safety wire




TP5012
Safety wire
Hole distance:90mm
Height:80mm



TP1041
Lashing Ring
Size:96×102mm,
Steel,zinc plated
Drain hole in base



TP1061
Lashing Ring
Size:115×124mm,
Steel,zinc plated
Drain hole in base



TP1042
Lashing Ring
Size:105×145mm
Steel,zinc plated
Drain hole in base



TP6010
Tow Bar Support
Hole distance:90mm 115mm
Height:60mm



TP6011
Tow Bar Support
Hole distance:166mm
Height:100mm



TP6013
Tow Bar Support
Hole distance:90mm
Height:70mm



TP1081
Lashing Ring
Size:89×76mm
Stainless steel



TP1071
Lashing Ring
Size:138×115mm
Steel,zinc plated



TP1055
Lashing Ring
Size:Φ105mm



TP6016
Thickness:6mm
Hole Distance:166mm
Height:114mm



TP6015
Thickness:4mm
Hole Distance:166mm
Height:167mm



**SINGLE STUD
FITTING**




TP1057
Lashing Ring
Hole:11×11mm
C to C 60mm Steel,
zinc plated




TP1071
Lashing Ring plate
Size:132×142mm
Steel,zinc plated



TP1058
Lashing Ring
Size:Φ90mm



TLH10
Trailer light protector



TLH20
Trailer light protector



TL0060
7 pin plastic plug 12v



TL0060N
7 pin plastic plug 12v



TL0063
7 pin plastic plug 12v



TL0062
7 pin metal plug 12v



TL0064
7 pin metal plug 24v



TL0066
7 pin small metal plug 12v



TL0068
7 pin plug



TL0068N
7 pin plug



TL0065
7 pin plastic plug 24v



TL0061
7 pin small plastic plug 12v



TL0071
7 pin small plastic socket 12v



TL0076
7 pin small metal socket 12v



TL0101
Mini adapter plastic
7 pin plug to 13 pin socket



TL0102
Mini adapter plastic
13 Plug to 7 pin socket



TL0090
7 pin metal plug 24v



TL0105
Long plastic adapter
13 Plug to 7 pin socket



TL0106
Long plastic adapter
13 Plug to 7 pin socket



TL0091
7 pin plug 24v



TL0075
13 pin plug 12v



TL0175
13 pin plug 12v



TL0176
13 pin plug pvc



TL0050
7 pin flat plug 12v



TL0051
7 pin flat socket 12v



TL0179
Socket box extension unit



TL0072
7 pin plastic socket 12v



TL0072R
7 pin round socket




TL0078
7 pin socket 12v
Waterproof



TL0073
Body two side is flat
7 pin metal socket 12v



TL0073R
Body is round
7 pin metal socket 12v



TL0079
7 pin small plastic socket 12v
Waterproof



TL0093
7 pin socket 12v
Waterproof



TL0074
13 pin socket



TL0174
13 pin metal socket 12v



TL0077
7+1 socket 12v



TL0108
Rubber seal
For 7 pin socket



TL0104
Rubber seal
For 7 pin socket



TL0078
13 pin cable socket



TL008137
7 pin spring cable with 7 pin plug and 13 pin plug



TL008213
13 pin spring cable with two 13 pin plug



TL0081
7 pin metal plug with spring cable



TL0082
7 pin metal plug with spring cable



TL0083
7 pin plug with Wire cable



TL0084
7 pin plug with Wire cable



TL0085
7 pin plug with Wire cable




TL0086
7 pin plug with Wire cable



TL0087
7 pin plug with Wire cable




TL0088
7 pin plug with Wire cable




TRAILER CABLE
2 cores
Packed:100 meter/roller



TRAILER CABLE
4 cores
Packed:100 meter/roller



TRAILER CABLE
5 cores
Packed:100 meter/roller



TRAILER CABLE
7 cores
Packed:100 meter/roller



TLC8
8 cores
Trailer Cable



TRAILER CABLE SYSTEM



TRAILER CABLE LEFT+RIGHT



WIRE KIT



TRAILER CABLE SYSTEM



TL0103
Electrical tester
Light and cable function tester



TL0113
Electrical tester
Light and cable function tester 13pin



TL1001
Socket with mounting plate
1.5meter wire 13pin



TP6010
13 pin plug holder



TP6020
7 pin plug holder



TL010
Tail light
Double rear position, direction indicator
Break, reversing, fog, triangle, number plate lights
Size: 235×35×52mm



TL011
Tail light
Rear position, direction indicator,
Break, reversing, fog, triangle lights
Size: 220×175×52mm



TL070
LED tail light
Stop, rear position, rear direction indicator
Size: 190×85×28mm
100% waterproof




TL030
LED tail light
Stop, rear position, rear direction indicator lamp
Reversing lamp, w/o no plate lamp
100% waterproof
Size: 162×80×26.5mm



TL020
Tail light
Rear position, direction indicator, break/license
Size: 100×95×50mm



TL065
LED tail light
Stop, rear position, rear direction indicator lamp
W/o no plate lamp
100% waterproof
Size: 106×100×46.5mm



TL0120
LED tail light
Stop, rear position, rear direction indicator lamp
100% waterproof
Size: 274×94×28mm



TL0510
Side marker light
Size: 100×75×50mm



TL060
LED Direction indicator/
Rear fog light Stop/tail light/
Reverse/License plate light/
Class IIIA retro-reflector
Size: 243.6×148.5×48mm



TL080
LED stop/rear position/rear direction
Indicator lamp, reversing lamp
Number plate light, triangle reflector,
Fog lamp horizontal mount version
Feature extra wide angle optics for
Improved side visibility
Size: 271×146×32mm



TRS008
LED round light 12-24V brake,
direction indicator and position function



TRL017
LED side light
With softy plastic base
White and Orange color



TL090
LED side marker light
Size: 60×38×32mm



TL0010
LED number plate light
Size: 81×41×34mm




TL0011
LED number plate light
Size: 80.7×43×49.9mm



TL040
Number plate light
Size: 67×50×35mm



LK001
Trailer light kit
PVC Board
0.75/1.0/1.22m long to reference
Customization wire



LK001-F
Trailer light kit
PVC Board
0.75/1.0/1.22m long to reference
Customization wire
with fog light



LK002
Trailer light kit
PVC Board
0.75/1.0/1.22m long to reference
Customization wire



LK003
Trailer light kit
Extendable trailer board (1.4m-2.1m)
Zinc steel tube
Two lamps & two reflector triangles
Number plate & support plate
Power supply with 7 pin large round plug
Customization wire 7.5m/10m/12m to reference



LK005
Width: 1600MM
Cable: 12M
Ramp with lights for agricultural trailers
galvanised metal sheet



LK006
Galvanized Steel trailer board
1.22M long
Power supply with 7 pin large round plug
5m wire length
2 reflectors 2 tails lights
one fog light



LK004




LK007(LED)

Trailer light kit
One power supply 7-pin cable connected 7-pin
Large round plug with right light
One 4-pin cable between two lights, 2.5/4m
Break-indicator-position-number plate lights
Round magnetic stud Φ80mm
Customization wire length 4.5m/7.5m/12m for reference




TLP001
Trailer electric
Parts system



TCP002
Fast connection 0.75x2
used for DC cable harness




TL003
Ring terminal




TL1012
Round reflector
Size:73mm
TL1012R Red
TL1012A Amber
TL1012W White



TL1015
Round reflector
Size:60mm
TL1015R Red
TL1015A Amber
TL1015W White



TL1014
Round reflector
Size:40mm
TL1014R Red
TL1014A Amber
TL1014W White




TL1013
Rectangle reflector
Size:70x28mm
TL1013R Red
TL1013A Amber
TL1013W White




TL1011
Rectangle reflector
Size:65x30mm
TL1011R Red
TL1011A Amber
TL1011W White



TL1010
Rectangle reflector
Size:95x38mm
TL1010R Red
TL1010A Amber
TL1010W White



TL1110
Rectangle reflector
Size:95x38x10mm
TL1110R Red
TL1110A Amber
TL1110W White



TL0040
Triangle reflector
Size:152x110mm
TL0040R Red
TL0040A Amber



TL0052
Trailer cable junction box
8-way flat pin terminal inside



HC010
Hitch ball cover
Rubber



HC011
Hitch ball cover



HC020
Hitch ball cover
Rubber



HC012
Hitch ball cover
Rubber



HC030
Hitch ball cover
Plastic,chrome plated



HC031
Hitch ball cover
PP



HC031C
Hitch ball cover
PP,Powder Coated



HC040
Hitch ball cover
Plastic



HC050
Hitch ball cover
Soft PVC
Black,red,blue



HC051
Hitch ball cover
PVC



HC060
Hitch ball cover
PVC



TPH001
Trailer hook



GHB501
Goose neck ball
Goose neck ball with pin
Size:50mm



GHB502
Goose neck ball
Size:50mm



Pintle hook
Powder coated
With lock pin
TPP 011 17/8"ball
TPP 012 2"ball
TPP 013 25/16"ball



TPP 020
Pintle hook
Powder coated
With lock pin



BM1001
Technical index:
1-1/4DROP 5/8RISE 6-1/2LENGTH
max.tongue-3500bs classII
Material:Hot roll steel
Surface treatment:Coating



BM1002
Technical index:
4DROP 2-7/8RISE 8LENGTH
max.tongue-3500bs classII
Material:Hot roll steel
Surface treatment:Coating



BM1003
Technical index:
2DROP 3/4RISE 8-1/2LENGTH
max.tongue-6000bs classII
Material:Hot roll steel
Surface treatment:Coating



BM1004
Technical index:
4DROP 2-3/4RISE 9LENGTH
max.tongue-6000bs classII
Material:Hot roll steel
Surface treatment:Coating



BM1005
Technical index:
6DROP 4-3/4RISE 9LENGTH
max.tongue-5000bs classII
Material:Hot roll steel
Surface treatment:Coating

Hitch Ball/Trailer Ball



Ball dia	Shank dia	Shank length	Capacity LBS
1-7/8"	3/4"	1-1/2"	2000
1-7/8"	3/4"	2"	2000
1-7/8"	3/4"	2-1/2"	2000
2"	3/4"	2"	3500
2"	3/4"	2-1/2"	3500
2"	3/4"	3"	3500
2"	1"	2-1/4"	5000
2-5/16"	1"	2-1/4"	6000
2-5/16"	1"	2-1/2"	6000
2-5/16"	1-1/4"	2-1/4"	10000



TP14001
Padlock
Stain steel
Diameter:70mm



TP14002
Long shank lock



TP1409
Trailer coupling lock
Ball size:50mm



TP1418
LOCK
Size:38×150mm
Chrome plated



LOCK
TP1410B 38×80mm black
TP1410C 38×80mm chrome plated
TP1411B 50×104mm black
TP1411C 50×104mm chrome plated



TP1438
Trailer case lock
Stainless steel



TP1412
Trailer coupling lock
Round pin



TP1412F
Flat pin



TP1413
Trailer coupling lock



TP1407
Trailer coupling lock



TP1428
Trailer Case Lock
Zinc alloy,chromed
Shafer:80×8mm
Hander:100×30mm



TP1429
Trailer Case Lock
Zinc alloy,chromed
Shafer:80×8mm



TP1427
Trailer coupling lock
Size:110×89×60mm
Pin dia:14.6mm
Powder coated



TP1411
Coupling lock
TP1411A
Without pad lock



TP1426
Trailer coupling lock
Powder coated
TP1426A
Without pad lock



TP1405
Tow bar lock
Pin Dia:5/8"



TP1408
Trailer coupling lock
Pin Dia:1/4"



TP1406
Tow bar lock
Pin Dia:1/2"+5/8"



TP1402
Trailer coupling lock



TP1403
Trailer coupling lock



TP1422
Trailer coupling lock



TP1415
Tow bar lock
Pin Dia:5/8"



TPP001
Trailer pin
Diameter:16mm



TP1404
Trailer coupling lock
With padlock



TP1430
Trailer coupling lock
With padlock




TP1425
Wheel lock
Size:48×22cm



TP1420
Wheel clamp lock
W/big pad
Suit wheel 13"-17"
Max width to 220mm



Hitch pin
TPA1614 16×140mm
TPA2216 22×165mm
TPA2519 25×191mm



Trailer pin
TPP1915 19×152mm
TPP2215 22×152mm
TPP2515 25×152mm
TPP2815 28×152mm
TPP3215 32×152mm



TC1011
Trailer coupler
Ball size:50mm
Channel size:50mm



TC1012
Trailer coupler
Ball size:50mm
Channel size:60mm



TC1020
Trailer coupler
Ball size:50mm



TC1030
Trailer coupler
Ball size:50mm



TCA1001
Trailer coupler
Ball size:2-5-16inch
Capacity:5000lbs



TCA1002
Trailer coupler
Ball size:2-5-16inch
Capacity:10000lbs



TC2010
Australia trailer coupler
Ball size:50mm



TC2011
Australia trailer coupler
Ball size:1-7/8"




TC2012
Australia trailer coupler
Ball size:50mm



TCP2000
Hand brake



TCP2001
Hand brake



TC2014
Australia trailer coupler
Ball size:50mm



ITEM NO	BALL SIZE	CHANNEL WIDTH	CAPACITY
TC3010	1-7/8 inch	2 inch	2000lbs
TC3020	2 inch	2 inch	3500lbs
TC3030	2 inch	2-1/2 inch	3500lbs
TC3040	2 inch	3 inch	3500lbs
TC3050	2 inch	3 inch	5000lbs
TC3060	1-7/8inch	2-1/2inch	2000lbs
TC3070	1-7/8inch	3 inch	2000lbs



TC4011
Australia trailer coupler
Ball size:50mm



TB100
SQUARE TOWING
BAR WITH SHACKLE
50x50mm



J1910
Jockey wheel clamp
For $\Phi 35$ mm tube



J1920
Jockey wheel clamp
For $\Phi 48$ mm tube



J1930
Jockey wheel clamp
For $\Phi 60$ mm tube



TJ1610
Drop leg
Tube: $\Phi 35$ mm
Length: 700mm
TJ1610B
Tube: $\Phi 48$ mm



TJ1620
Drop leg
Tube: $\Phi 48$ mm



TJ2020
Trailer jack
Top wind
Capacity: 2000lbs
With drop leg



J1940
Jockey wheel clamp
For $\Phi 48$ mm tube



J1950
Jockey wheel clamp



U bolts
Jockey wheel bracket fixation
for drawing tube 60-70mm



TJ2100
Trailer jack
A frame
Capacity: 2000lbs



TJ7010
Trailer jack
Top wind
Capacity: 7000lbs
With drop leg



TJ7030
Trailer jack
Side wind
Capacity: 7000lbs
With drop leg



TJ1510
TIP jack
Tube: $\Phi 42.5$ mm



TJ1100
Jockey wheel
Tube: $\Phi 35$ mm
Capacity: 75kgs
Wheel: 6inch



TJ1200
Jockey wheel
Tube: $\Phi 48$ mm
Capacity: 150kgs
Wheel: 8inch



TJ0501
Trailer jack
Top wind
Capacity: 500lbs
Wheel: 6 inch



TJ0502
Trailer jack
Top wind
Capacity: 500lbs
Wheel: 6 inch



TJ0503
Trailer jack
Top wind
Capacity: 500lbs
Wheel: 10 inch



TJ1201
Jockey wheel
Tube 48mm
Wheel: 8inch



TJ1320
Jockey wheel
Tube: $\Phi 60$ mm
Capacity: 250kgs
Wheel: 8inch



TJ1310
Jockey wheel
Tube: 60x60mm
Capacity: 250kgs
Wheel: 8inch



TJ1000A
Jockey wheel
Side wind
Capacity: 800lbs
Wheel: 8inch



TJ1000B
Jockey wheel
Side wind
Capacity: 1000lbs
Wheel: 8inch



TJ1000C
Jockey wheel
Side wind
Capacity: 1000lbs
Wheel: 8inch

GRIP CLIP




ITEM NO	PIN DIA	LENGTH
GR2050	2mm	50mm
GR2060	2mm	60mm
GR2070	2mm	70mm
GR3560	3.5mm	60mm
GR3580	3.5mm	80mm
GR35100	3.5mm	100mm
GR4080	4mm	80mm
GR35120	3.5mm	120mm
GR40100	4mm	100mm
GR40120	4mm	120mm
GR50100	5mm	100mm
GR60130	6mm	130mm
GR70140	7mm	140mm
GR80140	8mm	140mm

LYNCH PIN



ITEM NO	PIN DIA	LENGTH
LP4533	4.5mm	33mm
LP0635	6mm	35mm
LP0837	8mm	37mm
LP1043	10mm	43mm

SQUARE CLIP



ITEM NO	PIN DIA	WIDTH	HEIGHT
SC06	6mm	60mm	40mm
SC08	8mm	60mm	40mm
SC10	10mm	60mm	38mm

ITEM NO	INSIDE WIDTH	INSIDE LENGTH	DIA.	TYPE
RUB40x110	43mm	110mm	10mm	round
RUB40x125	43mm	125mm	10mm	round
SUB40x110	43mm	110mm	10mm	square
SUB45x110	48mm	110mm	12mm	square
SUB45x130	48mm	130mm	12mm	square
SUB50x75	51mm	75mm	12mm	square
SUB50x115	51mm	115mm	12mm	square
SUB50x130	51mm	130mm	12mm	square
SUB50x140	51mm	140mm	12mm	square
SUB50x165	51mm	165mm	12mm	square
SUB100x100	100mm	100mm	12mm	square

AUSTRALIA TRAILER

ITEM NO	INSIDE WIDTH	INSIDE LENGTH	BOLT SIZE	TYPE
SUBA42110	42mm	120mm	1/2"	square
SUBA47145	47mm	145mm	1/2"	square
SUBA52115	52mm	115mm	1/2"	square
SUBA7775	77mm	75mm	1/2"	square
SUBA10277	102mm	77mm	1/2"	square
SUBA42115	42mm	115mm	1/2"	round



TRALER CAGE

Australia sizes: Euro sizes:
C642M 6x4x2 feet 2000x1200x680mm
C643M 6x4x3 feet 2500x1500x680mm
C742M 7x4x2 feet 3000x1800x680mm



TRALER CAGE
 Australia style
 Rear door open
 both side

C643M 6x4x3 feet
C743M 7x4x3 feet
C753M 7x5x3 feet
C853M 8x5x3 feet



TRAILER CAGE
 European style
 Height:400mm
 Length and width
 depend on customer




TRALER CAGE
 With Roof:
CR643 6x4x3 feet
CR743 7x4x3 feet
CR753 7x5x3 feet
CR853 8x5x3 feet



Trailer Canvans Support
 Made by Aluminum tube

CS1300 For not over 1300mm
 length or width Trailer
CS2000 For not over 2000mm
 length or width Trailer



CARGO NET

2000x1500mm
 2500x1500mm
 3000x1500mm
 3000x2000mm
 4000x2500mm



TRAILER CAVANS

2000x1500mm
 2500x1500mm
 3000x1500mm
 3000x2000mm
 4000x2500mm



TW002
 Wire clip
 Height:13.5mm
 Central Hole:5mm



Rubber tighteners
TP5014 3Eyes
TP5015 2Eyes
TP5016 4Eyes
TP5010 360mm long,5 eyes




SRR45
Rear hanger for 45mm wide spring,natural

SHR60
Rear hanger for 60mm wide spring,natural

SHF45
Rear hanger for 45mm wide spring,natural

SHFD45
Deep fronthanger for 45mm wide spring,natural

FISH PLATE
90×86×6mm
100×100×8mm
110×110×10mm
130×120×10mm
Finish:natural or galvanized



COUPLING BASE PLATE




CBP2 universal 2hole coupling plate,natural
CBP3 universal 3hole coupling plate,natural
Sizes depend on customer design

CBP4 universal 2hole coupling plate,natural
CBPP4 universal 3hole coupling plate,natural
CBPA4 universal 3hole coupling plate,natural
Sizes depend on customer design




Round mounting plate
For 40mm round axle
TPA 2050 electric brake
TPA 2051 hydraulic brake




Round mounting plate
For 45mm round axle
TPA 2060 electric brake
TPA 2061 hydraulic brake




TPA2010
Round mounting plate
For 40mm square axle
Hydraulic brake
Natural



TPA2020
Round mounting plate
For 45mm square axle
Hydraulic brake
Natural



TPA2030
Round mounting plate
For 40mm square axle
Hydraulic brake
Natural



TPA2040
Round mounting plate
For 45mm square axle
Hydraulic brake
Natural



TP2030
Hand lock
Natural



SHACKLE PLATE
SP63 30×8 5/8inch×63mm centre 30wide natural
SP63 40×8 1/2inch×63mm centre 40wide natural
SP78 40×8 5/8inch×78mm centre 40wide natural



TAILGATE LATCH PLAES
Lp365 50×3×65long,natural
LP565 50×5×65long,natural
LP590 50×5×90long,natural



AXLE PAD
AP4045 axle pad natural
AP4045G axle pad galvanized



HINGE
WH001
Width:100mm



HINGE
WH002
Width:87mm



BoletAxle
BA19N
Diameter:19mm
With nipple

BA16
Diameter:6mm
Without nipple
BA16N
Diameter:16mm
With nipple



TAA45
Trailer Axle Arm
For Axle size 45×45mm
For Axle size 40×40mm
For Axle size 50×50mm



TPA3001
Brake adjuster



TPA4001
Bearing Buddy
Stainless steel
Plastic caps
TPA4002
Steel,Chrome plated
Size:1.78"/1.98"/2.32"/2.44"



JCH380
Jerry Can Holder
Natural



GBH45
Gas Bottle Holder Small
For 4.5kg gas bottle
GBH90
Gas Bottle Holder Big
For 9.0kg gas bottle




TPA5001
ROUND WELDING HINGE
Outside Dia:19mm
Axle Dia:14mm
Length:100mm
TPA5002
Outside Dia:26mm
Length:115mm



JCH480
Jerry can holder
With bolts on,
Hot dip galvanized




WELDABLE LIFT HINGES
Type:
A,round hear,brass bearing
B,flat head,brass bearing



Aluminium Tool Box
ATB301 760×320×240mm
ATB302 1230×380×380mm
ATB303 1450×520×460mm



ATB100
Aluminum Tool Box
Length:Front 410mm,Back 860mm
Width:500mm
Height:450mm



ATB200
Aluminum Truck Tool Box
Length:760mm
Width:460mm
Height:410mm




ATB001
Trailer Tool Box
Length:460mm
Width:200mm
Height:280mm



ATB002
Trailer Tool Box
Length:300mm
Width:150mm
Height:160mm

ITEM NO	L	B	C	E	TYPE
840020	60	6	10	12	A
840030	80	8	13	15.5	A
840040	100	10	16	20	A
840060	150	13	20	25	A
840120	100	10	16	20	A/LUBRICATES
840110	100	10	16	20	A
840200	150	13	20	25	A
840090	100	10	16	20	A/LUBRICATES
840080	100	10	16	20	B
840140	60	6	10	12	B
840150	80	8	13	15.5	B
841030	100	9	16	20	B
841050	120	9	16	20	B
841070	140	11	20	25.5	B



TPB9511
Roller Bracker



TPA1010
Roller Bracker



BOAT ROLLER SYSTEM



TPB1003
BOAT ROLLER SYTEM



TPA1020
Roller Bracker



TPA1030
Roller Bracker



TPB9013
ROLLER ARM
60×30 tube
Length:400mm
Pin Size:18mm



ROLLER SPINDLE
Dia:18mm
Length depend on customer



TPA1050
Roller Bracker



TPA1040
Roller Bracker
For 60×60 tube
60×80 tube
60×100 tube



TPB9014
ROLLER ARM
30×30 tube,
Length:400mm



TPB9015
J1960
Roller arm clamp



TPB1001
Bracker with Roller



TPB1002
Bracker with Roller



TPB2011
Roller Bracker
For Tow Bar 60×60 tube
60×80 tube
60×100 tube



TPA2010
Roller Bracker
For Tow Bar 60×60 tube
60×80 tube
60×100 tube



BWT100
Winch Tower
For Tow Bar 60×80 tube
60×100 tube



BWT200
Winch Tower
For Tow Bar 60×80 tube
60×100 tube



TPB2013
Roller Roller System



TPB2012
Roller Roller System



ROLLER FRAME



TPB4011
U PROFILE ROLLER ARM
Pin Size:18mm



STRAIGHT ROLLER ARM
30×30tube



TUBE ROLLER ARM
TPB4012 30×30×330mmtube Pin Size:18mm
TPB4013 30×30×330mmtube Pin Size:18mm



BR3013
Φ70×130mm



BR3020
Φ90×190mm



BR3030
Φ95×290mm



BR3031
Φ68×195mm



BR1013
Φ150×270mm



BR2018
Φ120×180mm



BR3120
Plastic roller
Φ85×190mm



BR3035
Φ74×75mm



BR3036
Φ59×103mm



BR4015
Φ150mm



BR3013
Φ115mm



BR4016
Rubber roller
Φ150mm



BR3040
Plastic roller
Φ110×200mm
Hole:Φ20mm



BR4014
Plastic roller
Φ120×80mm
Hole:Φ22mm




BR4025
Φ250mm



BR4026
ΦBoat Roller



BP2010
Boat Pad
Outside Diameter:180mm
Center hole:21mm
Height:130mm



BR8010
Φ88×89mm
Hole:Φ14mm
PVC

BR8010S
Φ132
Hole:Φ14mm
PVC



BR6010
Length:110mm
Dia:70mm
Central hole:16mm



BR5080
Φ70×80mm



BR7070
Φ70mm



BR6016
Φ70×200mm



BR6018
Φ55×101mm



BR6017
Φ68×196mm



BR4112
Φ110mm



BR4125
Width:75mm
Dia:125mm
Central:18mm



BR4113
Diameter:110MM
Width:74MM
Hole Dia:22MM



BR4114
Dia:Φ105mm
Width:75mm
Central Dia:25mm



BR4126
Dia:Φ110mm
Width:75mm
Central Dia:18mm



BR3032
Φ75×295mm
Hole:Φ20mm



BRA003
Width:50mm



BRA004
HDPE
Width:50mm



L8040PP
Plastic pad



BRA002
50×60mm



BP1010
Boat Pad
Length:300mm
Whdth:100mm
Height:35mm


BP1020
Boat Pad
Length:300mm
Whdth:100mm
Height:25mm



BP1030
Boat Pad
Length:130mm
Whdth:100mm
Height:35mm



WC1040
Wheel chock
Size:15×9×10cm



WC1050
Wheel chock
size:60×20×11.5cm



WC1020
Rubber wheel chock
165×95×100mm



WC1010
Rubber wheel chock
290×155×190mm



WC1011
Rubber wheel chock
240×165×180mm



WC1021
Rubber wheel chock
170×100×150mm



WC1030
Rubber wheel chock
290×160×185mm



WC1032
Rubber wheel chock
270×120×180mm



BR5040
Rubber
100×55×84mm



BR5010
Rubber
50×50×75mm



BR5020
Rubber
75×75×94mm



BR5030
Rubber
73×78×95mm



BR5050
Plastic
Length:108mm
Width:71mm
Hole:13mm



TP5021
Buffer
Height:42mm



TP2024
Buffer
Height:62mm



TP5022
Buffer
Height:60mm




TP5023
Buffer
Height:75mm




ITEM NO.	SC25	SC30	SC40	SC50	SC60	SC70	SC80	SC100
SIZE	25×25	30×30	40×40	50×50	60×60	70×70	80×80	100×100




ITEM NO.	RC20	RC30	RC40	RC50	RC60	RC70	RC80	RC90	RC100
SIZE	Φ20	Φ30	Φ40	Φ50	Φ60	Φ70	Φ80	Φ90	Φ100




WEATHER STRIP
Size:18mm,20mm,25mm
26mm,30mm,33mm,50mm



**TRAILER COVER
ALU. PROFILE**



WP001
Car ramp
Size:820×315×275mm
Powder Coated



WP002
Motorbike position stand
powder




CL1001
One step ladder
Width:420mm
Height:200mm



CL1002
Two step ladder
Width:420mm
Height:360mm



CL1002X
Cross in the back



ALR1810
ALU RAMP
Length:1800mm
Width:260mm
Sickness:60mm
Capacity:1000kgs/pair



ALR1818
ALU RAMP
Length:1800mm
Width:370mm
Sickness:85mm
Capacity:1800kgs/pair



ALR001
Aluminium ramp
Capacity:400kgs per pair
Folded length:900mm
Total length:1800mm
Width:290mm



ALR002
Aluminium ramp
Capacity:680kgs per pair
Folded length:1170mm
Total length:2280mm
Width:300mm



ALR003
Aluminium ramp
Capacity:680kgs per pair
Folded length:1170mm
Total length:2280mm
Width:300mm



TP1711
Material: Zinc Coated Sheet
Size:720×186×280mm
Tyre Size:13"
TP1711B
Size:720×225×280mm



TP1721
Material: Zinc Coated Sheet
Size:730×215×320mm
Tyre Size:14"



TP1712
Material: Zinc Coated Sheet
Size:1460×225×290mm
Tyre Size: Double wheel



TP1743
Material: Plastic
Size:500×195×150mm
Tyre Size:8"



TP1742
Material: Plastic
Size:610×245×145mm
Tyre Size:10"



TP1741
Material: Plastic
Size:770×335×215mm
Tyre Size:13"



TP1744
Material: Plastic
Size:680×200×325mm
Tyre Size:10"



TP1745
Material: Plastic
Size:770×200×325mm
Tyre Size:13"



TP1752
Material: Plastic
Size:1660×240×385mm
Tyre Size: Double wheel



TP1751
Material: Glass Reinforced Plastics
Size:950×240×320mm
Tyre Size:14"




TP1752
Material: Plastic
Size:930×235×300mm
Tyre Size:13", 14"




TP1731
Material: Zinc Coated Sheet
Size:740×210×290mm
Tyre Size:14"



TP1771
Mud flaps
Material: Rubber
Size:315×215mm



TP1772
Mud flaps
Material: Plastic
Size:235×255×4mm




TP1761
Material: Al. Sheet
Size:850×230×360mm
Tyre Size:14"



AXLE
39mm round solid axle
40×40mm square soli axle
45×45mm square soli axle
Customized Length

RUBBER TORSION AXLE
CAP:750KGS

Customized,hot galvanized



A	C	TUBE	WEIGHT	BOLT PITCH
MM	MM	MM	KG	
1100	1540	52	21.00	4×100
1200	1640	52	22.00	4×100
1350	1790	52	23.00	4×100
1500	1940	52	24.00	4×100
1600	2040	52	25.00	4×100



TP1088
Stud axle
PCD:4×100mm
Round bar:Φ33mm



TP1082
Stud axle
PCD:4×100mm
Round bar:Φ40mm



TP1087
Stud axle
PCD:5×112mm
Round bar:Φ45mm



TP10811
Stud axle
PCD:4×100mm
Round bar:40×40 mm



TP1084
Stud axle
PCD:4×100mm
With fix plate



TP1086
PCD:5×112mm
Squaer bar:45×45mm
Bar length:200mm



Leaf Spring Eye-eye
LSEE 6455 5leaf 45×6mm
LSEE 6456 5leaf 45×6mm
LSEE 6457 5leaf 45×6mm



Leaf Spring Eye-eye
LSEE 6605 5leaf 45×6mm
LSEE 6606 5leaf 45×6mm
LSEE 6607 5leaf 45×6mm



Leaf Spring Eye-slipper
LSEE 6453 5leaf 45×6mm
LSEE 6454 5leaf 45×6mm
LSEE 6455 5leaf 45×6mm
LSEE 6456 5leaf 45×6mm
LSEE 6457 5leaf 45×6mm



Leaf Spring Eye-slipper
LSEE 6455 5leaf 45×6mm
LSEE 6456 5leaf 45×6mm
LSEE 6457 5leaf 45×6mm

Dimension Is Available Upon Request

TRAILER WHEEL



Rim style A



Rim style B

ITEM NO.	TYRE	RIM
TW061	155R13	4×100
TW062	165R13	4×100
TW063	165 70R13	4×100
TW064	175R13	4×100
TW065	165R14	5×112
TW066	185R14	5×112
TW067	195R14	5×112



TW61345
13×4.5J4×100 ET30
TW61455
14×5.5J5×112 ET30



TW71345
14×4.5J5×100 ET0
TW71345A
14×4.5J4×101.6 ET0
TW71455A
14×5.5J5×114.3 ET0



TW103
Pneumatic Wheel
Central Hole:17mm
4.80×4.0-8



TW110
PU Form Wheel
Central Hole:20mm
4.80×4.0-8



TW104
Pneumatic Wheel
Central Hole:17mm
4.10/3.5-4



BR4245
PUFOAM WHEEL
CENTRAL HOLE:20MM
4.00-6



TW400
3.5-8
PCD:4×100mm

ALL SIZE DEPENDING ON CUSTOMER



TW500
4.80-8
PCD:4×100mm



TW120
13×5.0-6
PCD:4×100mm



TW070
20×10-8
PCD:4×100
Off set:0mm



TW030
20×7.0-8
PCD:4×100mm



TW600
20×7.0-8
PCD:4×100mm



TW021
20×10-6
PCD:4×100mm



TW090
23×8.5-12
PCD:4×100mm



TW200
22×12-8
PCD:4×100mm



TW020
22×10-10
PCD:4×100mm



TW010
22×11-8
PCD:4×100mm



TW050
22×11-10
PCD:4×100mm



TW040
22×11-10
PCD:4×100mm

ALL SIZE DEPENDING ON CUSTOMER



Name	Ltem No.	Capacity LBS(KG)	Gear ratio	Handle length (mm)	Steel cable		QTY/CTN	N/G.W(KG)	MEAS.(cm)
					dia (mm)	length (m)			
Steel cable winch	HW600SC	600(270)	3.1:1	165	φ4.2	8	6	14/16	59x26x16
	HW800SC	800(360)	3.1:1	175	φ4.2	8	6	14.5/16.5	59x26x16
	HW1000SC	1000(450)	4.1:1	200	φ4.5	10	6	21/23	66x27x18
	HW1200SC	1200(540)	4.1:1	225	φ4.5	10	6	21.5/23.5	66x27x18
	HW1400SC	1400(630)	4.5:1	225	φ4.5	10	6	22/24	67x27x19
	HW1600SC	1600(720)	5.1:1	225	φ4.8	10	4	17/19	46x34x20
	HW1800SC	1800(810)	4.1:1&9.8:1	250	φ4.8	10	4	19/21	52x31x20
	HW2000SC	2000(900)	4.1:1&9.8:1	250	φ5	10	4	20/22	52x31x20
	HW2500SC	2500(1100)	5.1:1&12.2:1	275	φ5	10	4	23/25	54x31x22

Name	Ltem No.	Capacity LBS(KG)	Gear ratio	Handle length (mm)	Winch strap	QTY/CTN	N/G.W(KG)	MEAS.(cm)
Steel cable winch	HW600B	600(270)	3.1:1	165	0.6mmx38mmx6m	6	13.5/14.5	59x26x16
	HW800B	800(360)	3.1:1	175	0.6mmx38mmx6m	6	14/15	59x26x16
	HW1000B	1000(450)	4.1:1	200	0.8mmx50mmx8m	6	20/22	66x27x18
	HW1200B	1200(540)	4.1:1	225	0.8mmx50mmx8m	6	20.5/22.5	66x27x18
	HW1400B	1400(630)	4.5:1	225	0.8mmx50mmx8m	6	21/23	67x27x19
	HW1600B	1600(720)	5.1:1	225	1.0mmx50mmx8m	4	16.5/18.5	46x31x20
	HW1800B	1800(810)	4.1:1&9.8:1	250	1.0mmx50mmx8m	4	18.5/20.5	52x31x20
	HW2000B	2000(900)	4.1:1&9.8:1	250	1.0mmx50mmx8m	4	19.5/21.5	52x31x20
	HW2500B	2500(1100)	5.1:1&12.2:1	275	1.1mmx50mmx8m	4	22.5/24.5	54x31x22



SHOCK ABSORB
TPS3112
C to C310mm
Spring length:192mm
Dia:8.5mm
TPS281230
C to C280mm
Spring length:186mm
Dia:6.7mm



Gas spring
GS315 300NF,315L,Stroke 90
GS405 400NF,405L,Stroke 165
GS535 400NF,535L,Stroke 220
500NF,405L,Stroke 165



**TRAILER SPARE
TYRE CARRIER**
Fits four-lugs×100mm wheels



**TRAILER SPARE
TYRE CARRIER**
Dia:9mm
Fits five-lugs×112mm wheels



RT010
1inch 600kg



RT020
1 1/2inch 2000kg



RT030
2inch 500kg




TW10



BELT WINCH



TOW BELT




BOAT TRAILER FRAME



BOAT TRAILER FRAME
Hot dip galvanized



TRAILER DRAW BAR
hot dip galvanized



WELDING PARTS
hot dip galvanized



SHOE CLEANER FRAME



WELDING PARTS
hot dip galvanized



MT001
Outboard motor Trolley
Suits outboard motors up to approximately 20hp(max load 53kgs)



BSP1350
BUOY PIPE
Steel Pipe 75mm
Hot Dip Galvanized
Length:1350mm



BTS100
BOAT TRANSOM
Aluminium frame
10" pneumatic wheel
wheel Capacity:136kgs



BUOY WEIGHT
Hot Dip Galvanized
MB26 26KGS weight
MB38 38KGS weight
MB69 69KGS weight



L8040
Dock Ladder
Hot dip galvanized
4 Steps
Total Length:2000mm
Width:500mm
Wood Steps



L8043
Dock Ladder extra steps
Hot dip galvanized
3 Steps
Width:500mm
Wood Steps



L8041
Hot dip galvanized
4 Steps
Plastic Steps



L8044
Dock Ladder extra steps
Hot dip galvanized
3 Steps
Plastic Steps




BCB1000
Boat cradle back
Capacity:1000kgs
Width:1000mm



BCB2000
Boat cradle back
Capacity:2000kgs
Width:1000mm



BCF1000
Boat cradle front
Capacity:1000kgs
Width:400mm





T1050
Log Trailer
Capacity:750kgs
Wheel: 22x12-8
Hot dip galvanized



ST800
SNOW SLED
Widrth:800mm
Length:2300m
Hot dip galvanized



T1010
LOG TRAILER
Capacity:500kgs
Length:2500mm
Wheel: 22x10-10
Hot dipped frame



ST100
Log Sled
For shipping log in the snow
Widrth:800mm
Length:3000m
Hot dip galvanized



T1012
LOG TRAILER
WITH BOX
Capacity:500kgs
Length:2500mm
Wheel: 22x10-10
Hot dipped frame



T1030
ATV TRAILER
Capacity:500kgs
Length:1500m
Wheel: 22x10-10
Box size:1500x950x450mm



T1043
LOG TRAILER BOX
Length:2000mm
Widrth:1000mm
Deep:550mm



T1042
LOG TRAILER BOX
Length:2000mm
Widrth:1000mm
Deep:550mm



UTILITY TRAILER

T0720

Capacity:750kgs
Box size:2000x1300x250mm
Wheel: 165R13


T0725

Capacity:750kgs
Box size:2500x1300x250mm
Wheel: 165R13



T1150

Capacity:500kgs
Box Length:1110mm
Box Width:930mm
Box Deep:320mm
Wheel:4.8-8



T1325

Capacity:1300kgs
Length:2500mm
Width:1500mm
Wheel:165R13
Hot dip galvanized
Waterproof Plywood bottom



STT40SK


Water Tank Trailer

Customized Trailer
Classic Size:1800x2000mm
Hot Dip Galvanized



T1425B

Capacity:1400kgs
Length:2500mm
Width:1500mm
Wheel:Double 165R13
Hot dip galv.
Plywood bottom



T2550

SHIPPING CAR TRAILER

Capacity:2500kgs
Size:1900x5000mm
Wheel:185R14C
Hot dip galvanized



BTU500

Offroad boat trailer
For 10 feet boat
4.0meter boat
Length:4000mm
Width:1800mm
Wheel:4.80-8
Capacity:600kgs



BT0515

Boat trailer
For 15 feet boat
4.60 meter boat
Capacity:500kgs
Wheel:165R13
Axle:rebber tosion axle,without brake



BT0716

Boat trailer
For 16 feet boat
5.0 meter boat
Capacity:750kgs
Wheel:165R13
Axle:rebber tosion axle,without brake



BTU800

Off road boat trailer
For 17 feet boat
5.0meter boat
Capacity:800kgs
Wheel:165R13
Axle:rebber tosion axle,without brake



BTU1000

Off road boat trailer
For 19 feet boat
5.80 meter boat
Capacity:1000kgs
Wheel:165R13
Axle:stud axle,without brake



BTU2000

Off road boat trailer
For 22 feet boat
6.7 meter boat
Capacity:2000kgs
Wheel:165R13
Axle:stud axle,without brake




TD600
TRAILER DOLLY
Capacity:600LBS
Ball:1-7/8 inch
Wheel:10 inch



SBT10
Rubber Boat Trailer
Capacity:150kgs
Sizes:Length:3000mm,Width:1000mm
Wheel:4.80/4.00-8



SBT12
Rubber Boat Trailer
Capacity:150kgs
Sizes:Length:3000mm,width:1000mm
Wheel:16"4.00-8



SB1360
SNOW BUCKET
BUCKET SIZE:400x1360mm
Black Powder Coated
Used for ATV
SB1500
BUCKET SIZE:400x1500mm



SB1500LA
SNOW BUCKET
BUCKET SIZE:400x1500mm
Black Powder Coated
Used for ATV



SB1800
SNOW BUCKET
BUCKET SIZE:400x1800mm
Black Powder Coated
Used for ATV